

#### Better Results. Less Chemistry.

Hubbard-Hall Inc. • 563 South Leonard Street, Waterbury, CT 07608 • HubbardHall.com • 800-648-3412

**Product Bulletin** 

Product Name: Ultrex EJ Product Code: 2001031

Revision Date: December 26, 2019

# Ultrex EJ

Ultrex EJ is a mild, high detergency alkaline electro cleaner for the cleaning of brass, white metal, lead alloys and other non-ferrous materials. Ultrex EJ is inhibited and buffered so that it can be used anodically on brass and other sensitive materials without tarnishing them or attacking the surface. Ultrex EJ is an excellent cleaner for parts fabricated from a combination of metals and particularly effective on soldered materials.

Ultrex EJ is formulated to give complete service over extended periods. It is a free-rinsing material, containing no soaps and will not leave a residue on the work after rinsing or acid dipping. Ultrex EJ is also recommended as an efficient soak cleaner for brass and other alkali sensitive metals.

### **Features & Benefits**

Mild high detergency	Excellent for soldered materials
alkaline electro cleaner	
for brass, white metal,	
lead alloys, and other	
non-ferrous metals	
Inhibited and buffered	Won't tarnish or attack surface

## **Operating Conditions**

Concentration	4 – 6 oz/Gal
Temperature	160°F – 180°F
Voltage	3 – 6 volts, anodic at 10 – 50
	amps/ft <sup>2</sup>
Equipment	Mild steel tank and anodes.
	Tank may be heated by steel
	steam coils, steel immersion
	heaters or heated direct gas
	firing. Bus bars on tank and to
	and from rectifier should be
	enough size to carry the
	expected currents.
Control	Concentration of cleaner can









#### Better Results. Less Chemistry.

Hubbard-Hall Inc. 563 South Leonard Street, Waterbury, CT 07608 • HubbardHall.com • 800-648-3412

#### Product Bulletin

Product Name: Ultrex EJ Product Code: 2001031

Revision Date: December 26, 2019

be determined by titrating its
alkalinity with any standard acid
of by titration with a kit supplied
with the cleaner.

#### Caution

Ultrex EJ is an alkaline-based material. Contact with skin and eyes should be avoided. In case of contact with skin, affected area should be thoroughly flushed with water; for eyes, flush with water for fifteen (15) minutes and obtain medical attention. When

Ultrex EJ is added to water, heat is generated. When mixing the cleaner, add Ultrex EJ in small amounts to cool water with frequent stirring.

Note: Read appropriate safety data sheet prior to using this product.

WARRANTY: THE QUALITY OF THIS PRODUCT IS GUARANTEED ON SHIPMENT FROM OUR PLANT. IF THE USE RECOMMENDATIONS ARE FOLLOWED, DESIRED RESULTS WILL BE OBTAINED. SINCE THE USE OF OUR PRODUCTS IS BEYOND OUR CONTROL, NO GUARANTEE EXPRESSED OR IMPLIED IS MADE AS TO THE EFFECTS OF SUCH USE, OR THE RESULTS TO BE OBTAINED.

### Our people. Your problem solvers.

For more information on this process please call us at 1-800-648-3412

or techservice@hubbardhall.com













